

CERTIFICATE OF ANALYSIS

Product Description:	mRNA-1273	Moderna Part #:	60075
Manufacturer Name:	Moderna	Container/Closure:	10R Glass Vial, 20mm Stopper, 20mm Plascap
Manufacturer Lot:	7006320001 (Labeled Drug Product)		
Moderna Lot Number:	6007520001	Specification:	SPC-1063
Date of Manufacture:	28May2020	Expiry Date:	28Aug2020

Product Attribute	Method	Parameter	Specification	Result
Appearance	SOP-0278	Appearance - Color	White to off-white dispersion.	White to off-white dispersion
		Appearance - Particulates	May contain visible, white or translucent product-related particles	Essentially Free of Particulates
Concentration	SOP-0235	Concentration	(b) (4)	
Identity	SOP-0544	Identity		
Purity	SOP-0383	Purity		
		% IG1		
		% IG2		
		% IG3		
% RNA Encapsulation	SOP-0298	% Encapsulation		
In vitro Translation (Potency)	SOP-0937	Result		
pH	SOP-0288	pH		
Osmolality	SOP-0279	Osmolality		
Dynamic Light Scattering	SOP-0107	Particle Size		
		Polydispersity		
Lipid Identification	SOP-0502	SM102		
		Cholesterol		

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: Steven Anderson

Page 1 of 3

Generated Date: 19-Jun-2020

FDA-CBER-2022-1614-4622504

CERTIFICATE OF ANALYSIS

Product Description:	mRNA-1273	Moderna Part #:	60075
Manufacturer Name:	Moderna	Container/Closure:	10R Glass Vial, 20mm Stopper, 20mm Plascap
Manufacturer Lot:	7006320001 (Labeled Drug Product)		
Moderna Lot Number:	6007520001	Specification:	SPC-1063
Date of Manufacture:	28May2020	Expiry Date:	28Aug2020

Product Attribute	Method	Parameter	Specification	Result
Lipid Content		DSPC	(b) (4)	
		PEG-DMG		
		SM102		
		Cholesterol		
Lipid Impurities		DSPC		
		PEG-DMG		
		% Area 1		
		% Area 2		
		% Area 3		
		% Area 4		
		% Area 5		
		% Area 6		
		% Area 7		
		% Area 8		
		RRT 1		
		RRT 2		
		RRT 3		
		RRT 4		

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: Steven Anderson

Page 2 of 3

Generated Date: 19-Jun-2020

FDA-CBER-2022-1614-4622505

CERTIFICATE OF ANALYSIS

Product Description:	mRNA-1273	Moderna Part #:	60075
Manufacturer Name:	Moderna	Container/Closure:	10R Glass Vial, 20mm Stopper, 20mm Plascap
Manufacturer Lot:	7006320001 (Labeled Drug Product)		
Moderna Lot Number:	6007520001	Specification:	SPC-1063
Date of Manufacture:	28May2020	Expiry Date:	28Aug2020

Product Attribute	Method	Parameter	Specification	Result
		RRT 5	(b) (4)	
		RRT 6		
		RRT 7		
		RRT 8		
		% Total Impurities		
Particulate Matter	SOP-0509	10 µM particles per container		
		25 µM particles per container		
Container Content	SOP-0950			
Bacterial Endotoxins	USP <85>	Bacterial Endotoxins		
Sterility	SOP-0378	Sterility		

This material meets specification: Yes

Revision History:

- 1.0 - Original
- 2.0 - Added Labeled Drug Product part number (7006320001) to CofA header

Document Approvals
Approved Date: 19 Jun 2020

Approval Verdict: Approved	Steven Anderson, (b) (6) @modernatx.com) Quality Control Approval 19-Jun-2020 14:45:06 GMT+0000
QA Approval Verdict: Approved	(b) (6) (b) (6) @modernatx.com) Quality Assurance Approval 19-Jun-2020 15:27:39 GMT+0000

CERTIFICATE OF ANALYSIS

Product Description:	mRNA-1273	Moderna Part #:	60075
Manufacturer Name:	Moderna	Container/Closure:	10R Glass Vial, 20mm Stopper, 20mm Plascap
Manufacturer Lot:	7006320002 (Labeled Drug Product)		
Moderna Lot Number:	6007520002	Specification:	SPC-1063
Date of Manufacture:	02Jun2020	Expiry Date:	02Dec2020

Product Attribute	Method	Parameter	Specification	Result
Appearance	SOP-0278	Appearance - Color	White to off-white dispersion.	White to off-white dispersion
		Appearance - Particulates	May contain visible, white or translucent product-related particles	Essentially Free of Particulates
Concentration	SOP-0235	Concentration	(b) (4)	
Identity	SOP-0544	Identity		
Purity	SOP-0383	Purity		
		% IG1		
		% IG2		
		% IG3		
% RNA Encapsulation	SOP-0298	% Encapsulation		
In vitro Translation (Potency)	SOP-0937	Result		
pH	SOP-0288	pH		
Osmolality	SOP-0279	Osmolality		
Dynamic Light Scattering	SOP-0107	Particle Size		
		Polydispersity		
Lipid Identification	SOP-0502	SM102		
		Cholesterol		

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: Steven Anderson

Page 1 of 3

Generated Date: 14-Aug-2020

FDA-CBER-2022-1614-4622508

CERTIFICATE OF ANALYSIS

Product Description:	mRNA-1273	Moderna Part #:	60075
Manufacturer Name:	Moderna	Container/Closure:	10R Glass Vial, 20mm Stopper, 20mm Plascap
Manufacturer Lot:	7006320002 (Labeled Drug Product)		
Moderna Lot Number:	6007520002	Specification:	SPC-1063
Date of Manufacture:	02Jun2020	Expiry Date:	02Dec2020

Product Attribute	Method	Parameter	Specification	Result
Lipid Content		DSPC	(b) (4)	
		PEG-DMG		
		SM102		
		Cholesterol		
		DSPC		
Lipid Impurities		PEG-DMG		
		% Area 1		
		% Area 2		
		% Area 3		
		% Area 4		
		% Area 5		
		% Area 6		
		RRT 1		
		RRT 2		
		RRT 3		
		RRT 4		
		RRT 5		
		RRT 6		

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: Steven Anderson

Page 2 of 3

Generated Date: 14-Aug-2020

FDA-CBER-2022-1614-4622509
Page 2 of 4

CERTIFICATE OF ANALYSIS

Product Description:	mRNA-1273	Moderna Part #:	60075
Manufacturer Name:	Moderna	Container/Closure:	10R Glass Vial, 20mm Stopper, 20mm Plascap
Manufacturer Lot:	7006320002 (Labeled Drug Product)		
Moderna Lot Number:	6007520002	Specification:	SPC-1063
Date of Manufacture:	02Jun2020	Expiry Date:	02Dec2020

Product Attribute	Method	Parameter	Specification	Result
		% Total Impurities	(b) (4)	
Particulate Matter	SOP-0509	10 µM particles per container		
		25 µM particles per container		
Container Content	SOP-0950	Container Content		
Bacterial Endotoxins	USP <85>	Bacterial Endotoxins		
Sterility	SOP-0378	Sterility		

This material meets specification: Yes

Revision History:

- 1.0 - Original
- 2.0 - Expiry date updated from 02Sep2020 to 02Dec2020

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: Steven Anderson

Page 3 of 3

Generated Date: 14-Aug-2020

FDA-CBER-2022-1614-4622510

Document Approvals
Approved Date: 14 Aug 2020

Approval Verdict: Approved	Steven Anderson, (b) (6) @modernatx.com) Quality Control Approval 14-Aug-2020 14:50:11 GMT+0000
QA Approval Verdict: Approved	(b) (6) (b) (6) @modernatx.com) Quality Assurance Approval 14-Aug-2020 15:21:18 GMT+0000

CERTIFICATE OF ANALYSIS

Product Description:	mRNA-1273	Moderna Part #:	60075
Manufacturer Name:	Moderna	Container/Closure:	10R Glass Vial, 20mm Stopper, 20mm Plascap
Manufacturer Lot:	7006320003 (Labeled Drug Product)		
Moderna Lot Number:	6007520003	Specification:	SPC-1063
Date of Manufacture:	04Jun2020	Expiry Date:	04Dec2020

Product Attribute	Method	Parameter	Specification	Result
Appearance	SOP-0278	Appearance - Color	White to off-white dispersion.	White to off-white dispersion
		Appearance - Particulates	May contain visible, white or translucent product-related particles	Essentially Free of Particulates
Concentration	SOP-0235	Concentration	(b) (4)	
Identity	SOP-0544	Identity		
Purity	SOP-0383	Purity		
		% IG1		
		% IG2		
		% IG3		
% RNA Encapsulation	SOP-0298	% Encapsulation		
In vitro Translation (Potency)	SOP-0937	Result		
pH	SOP-0288	pH		
Osmolality	SOP-0279	Osmolality		
Dynamic Light Scattering	SOP-0107	Particle Size		
		Polydispersity		
Lipid Identification	SOP-0502	SM102		
		Cholesterol		

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: Steven Anderson

Page 1 of 3

Generated Date: 14-Aug-2020

FDA-CBER-2022-1614-4622512

CERTIFICATE OF ANALYSIS

Product Description:	mRNA-1273	Moderna Part #:	60075
Manufacturer Name:	Moderna	Container/Closure:	10R Glass Vial, 20mm Stopper, 20mm Plascap
Manufacturer Lot:	7006320003 (Labeled Drug Product)		
Moderna Lot Number:	6007520003	Specification:	SPC-1063
Date of Manufacture:	04Jun2020	Expiry Date:	04Dec2020

Product Attribute	Method	Parameter	Specification	Result
Lipid Content		DSPC	(b) (4)	
		PEG-DMG		
		SM102		
		Cholesterol		
Lipid Impurities		DSPC		
		PEG-DMG		
		% Area 1		
		% Area 2		
		% Area 3		
		% Area 4		
		% Area 5		
		% Area 6		
		RRT 1		
		RRT 2		
		RRT 3		
		RRT 4		
		RRT 5		
		RRT 6		

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: Steven Anderson

Page 2 of 3

Generated Date: 14-Aug-2020

FDA-CBER-2022-1614-4622513

CERTIFICATE OF ANALYSIS

Product Description:	mRNA-1273	Moderna Part #:	60075
Manufacturer Name:	Moderna	Container/Closure:	10R Glass Vial, 20mm Stopper, 20mm Plascap
Manufacturer Lot:	7006320003 (Labeled Drug Product)		
Moderna Lot Number:	6007520003	Specification:	SPC-1063
Date of Manufacture:	04Jun2020	Expiry Date:	04Dec2020

Product Attribute	Method	Parameter	Specification	Result
		% Total Impurities	(b) (4)	
Particulate Matter	SOP-0509	10 µM particles per container		
		25 µM particles per container		
Container Content	SOP-0950	Container Content		
Bacterial Endotoxins	USP <85>	Bacterial Endotoxins		
Sterility	SOP-0378	Sterility		

This material meets specification: Yes

Revision History:

- 1.0 - Original
- 2.0 - Expiry updated from 04Sep2020 to 04Dec2020

Document Approvals
Approved Date: 14 Aug 2020

Approval Verdict: Approved	Steven Anderson, (b) (6) @modernatx.com) Quality Control Approval 14-Aug-2020 14:50:48 GMT+0000
QA Approval Verdict: Approved	(b) (6) (b) (6) @modernatx.com) Quality Assurance Approval 14-Aug-2020 15:22:45 GMT+0000

CERTIFICATE OF ANALYSIS

Product Description:	mRNA-1273	Moderna Part #:	60075
Manufacturer Name:	Moderna	Container/Closure:	10R Glass Vial, 20mm Stopper, 20mm Plascap
Manufacturer Lot:	7006320004 (Labeled Drug Product)		
Moderna Lot Number:	6007520004	Specification:	SPC-1063
Date of Manufacture:	25Jun2020	Expiry Date:	25Dec2020

Product Attribute	Method	Parameter	Specification	Result
Appearance	SOP-0278	Appearance - Color	White to off-white dispersion.	White to off-white dispersion
		Appearance - Particulates	May contain visible, white or translucent product-related particles	Essentially Free of Particulates
Concentration	SOP-0235	Concentration	(b) (4)	
Identity	SOP-0544	Identity		
Purity	SOP-0383	Purity		
		% IG1		
		% IG2		
		% IG3		
% RNA Encapsulation	SOP-0298	% Encapsulation		
In vitro Translation (Potency)	SOP-0937	Result		
pH	SOP-0288	pH		
Osmolality	SOP-0279	Osmolality		
Dynamic Light Scattering	SOP-0107	Particle Size		
		Polydispersity		
Lipid Identification	SOP-0502	SM102		
		Cholesterol		

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: Steven Anderson

Page 1 of 3

Generated Date: 13-Aug-2020

FDA-CBER-2022-1614-4622516

CERTIFICATE OF ANALYSIS

Product Description:	mRNA-1273	Moderna Part #:	60075
Manufacturer Name:	Moderna	Container/Closure:	10R Glass Vial, 20mm Stopper, 20mm Plascap
Manufacturer Lot:	7006320004 (Labeled Drug Product)		
Moderna Lot Number:	6007520004	Specification:	SPC-1063
Date of Manufacture:	25Jun2020	Expiry Date:	25Dec2020

Product Attribute	Method	Parameter	Specification	Result
Lipid Content		DSPC	(b) (4)	
		PEG-DMG		
		SM102		
		Cholesterol		
		DSPC		
Lipid Impurities		PEG-DMG		
		% Area 1		
		% Area 2		
		% Area 3		
		% Area 4		
		RRT 1		
		RRT 2		
		RRT 3		
		RRT 4		
Particulate Matter	SOP-0509	% Total Impurities		
		10 µM particles per container		
		25 µM particles per container		

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: Steven Anderson

Page 2 of 3

Generated Date: 13-Aug-2020

FDA-CBER-2022-1614-4622517

CERTIFICATE OF ANALYSIS

Product Description:	mRNA-1273	Moderna Part #:	60075
Manufacturer Name:	Moderna	Container/Closure:	10R Glass Vial, 20mm Stopper, 20mm Plascap
Manufacturer Lot:	7006320004 (Labeled Drug Product)		
Moderna Lot Number:	6007520004	Specification:	SPC-1063
Date of Manufacture:	25Jun2020	Expiry Date:	25Dec2020

Product Attribute	Method	Parameter	Specification	Result
Container Content	SOP-0950	Container Content	(b) (4)	
Bacterial Endotoxins	USP <85>	Bacterial Endotoxins		
Sterility	SOP-0378	Sterility		

This material meets specification: Yes

Revision History:

1.0 - Original

2.0 - Batch Date corrected from 26Jun2020 to 25Jun2020. Expiry date corrected to 26Sep2020 to 25Sep2020

3.0 - Expiry date updated from 25Sep2020 to 25Dec2020

Document Approvals
Approved Date: 14 Aug 2020

Approval Verdict: Approved	Steven Anderson, (b) (6) modernatx.com) Quality Control Approval 14-Aug-2020 11:06:24 GMT+0000
QA Approval Verdict: Approved	(b) (6) (b) (6) @modernatx.com) Quality Assurance Approval 14-Aug-2020 15:02:32 GMT+0000

CERTIFICATE OF ANALYSIS

Product Description:	mRNA-1273	Moderna Part #:	60075
Manufacturer Name:	Moderna	Container/Closure:	10R Glass Vial, 20mm Stopper, 20mm Plascap
Manufacturer Lot:	7006320005 (Labeled Drug Product)		
Moderna Lot Number:	6007520005	Specification:	SPC-1063
Date of Manufacture:	30Jun2020	Expiry Date:	30Dec2020

Product Attribute	Method	Parameter	Specification	Result
Appearance	SOP-0278	Appearance - Color	White to off-white dispersion.	White to off-white dispersion
		Appearance - Particulates	May contain visible, white or translucent product-related particles	Essentially Free of Particulates
Concentration	SOP-0235	Concentration	(b) (4)	
Identity	SOP-0544	Identity		
Purity	SOP-0383	Purity		
		% IG1		
		% IG2		
		% IG3		
% RNA Encapsulation	SOP-0298	% Encapsulation		
In vitro Translation (Potency)	SOP-0937	Result		
pH	SOP-0288	pH		
Osmolality	SOP-0279	Osmolality		
Dynamic Light Scattering	SOP-0107	Particle Size		
		Polydispersity		
Lipid Identification	SOP-0502	SM102		
		Cholesterol		

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: Steven Anderson

Page 1 of 3

Generated Date: 05-Aug-2020

FDA-CBER-2022-1614-4622520

CERTIFICATE OF ANALYSIS

Product Description:	mRNA-1273	Moderna Part #:	60075
Manufacturer Name:	Moderna	Container/Closure:	10R Glass Vial, 20mm Stopper, 20mm Plascap
Manufacturer Lot:	7006320005 (Labeled Drug Product)		
Moderna Lot Number:	6007520005	Specification:	SPC-1063
Date of Manufacture:	30Jun2020	Expiry Date:	30Dec2020

Product Attribute	Method	Parameter	Specification	Result
Lipid Content		DSPC	(b) (4)	
		PEG-DMG		
		SM102		
		Cholesterol		
		DSPC		
Lipid Impurities		PEG-DMG		
		% Area 1		
		% Area 2		
		% Area 3		
		% Area 4		
		RRT 1		
		RRT 2		
		RRT 3		
		RRT 4		
Particulate Matter	SOP-0509	% Total Impurities		
		10 µM particles per container		
		25 µM particles per container		

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: Steven Anderson

Page 2 of 3

Generated Date: 05-Aug-2020

FDA-CBER-2022-1614-4622521

CERTIFICATE OF ANALYSIS

Product Description:	mRNA-1273	Moderna Part #:	60075
Manufacturer Name:	Moderna	Container/Closure:	10R Glass Vial, 20mm Stopper, 20mm Plascap
Manufacturer Lot:	7006320005 (Labeled Drug Product)		
Moderna Lot Number:	6007520005	Specification:	SPC-1063
Date of Manufacture:	30Jun2020	Expiry Date:	30Dec2020

Product Attribute	Method	Parameter	Specification	Result
Container Content	SOP-0950	Container Content	(b) (4)	
Bacterial Endotoxins	USP <85>	Bacterial Endotoxins		
Sterility	SOP-0378	Sterility		

This material meets specification: Yes

Revision History:

1.0 - Original

2.0 - Corrected Batch Date from 01Jul2020 to 30Jun2020 and expiry date from 01Jan2021 to 30Dec2020.

Document Approvals
Approved Date: 05 Aug 2020

Approval Verdict: Approved	Steven Anderson, (b) (6) @modernatx.com) Quality Control Approval 05-Aug-2020 17:06:29 GMT+0000
QA Approval Verdict: Approved	(b) (6) (b) (6) @modernatx.com) Quality Assurance Approval 05-Aug-2020 17:46:53 GMT+0000

CERTIFICATE OF ANALYSIS

Product Description:	mRNA-1273	Moderna Part #:	60075
Manufacturer Name:	Moderna	Container/Closure:	10R Glass Vial, 20mm Stopper, 20mm Plascap
Manufacturer Lot:	7006320006 (Labeled Drug Product)		
Moderna Lot Number:	6007520006	Specification:	SPC-1063
Date of Manufacture:	08Jul2020	Expiry Date:	08Jan2021

Product Attribute	Method	Parameter	Specification	Result
Appearance	SOP-0278	Appearance - Color	White to off-white dispersion.	White to off-white dispersion
		Appearance - Particulates	May contain visible, white or translucent product-related particles	Essentially Free of Particulates
Concentration	SOP-0235	Concentration	(b) (4)	
Identity	SOP-0544	Identity		
Purity	SOP-0383	Purity		
		% IG1		
		% IG2		
		% IG3		
% RNA Encapsulation	SOP-0298	% Encapsulation		
In vitro Translation (Potency)	SOP-0937	Result		
pH	SOP-0288	pH		
Osmolality	SOP-0279	Osmolality		
Dynamic Light Scattering	SOP-0107	Particle Size		
		Polydispersity		
Lipid Identification	SOP-0502	SM102		
		Cholesterol		

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: Steven Anderson

Page 1 of 3

Generated Date: 05-Aug-2020

FDA-CBER-2022-1614-4622524

CERTIFICATE OF ANALYSIS

Product Description:	mRNA-1273	Moderna Part #:	60075
Manufacturer Name:	Moderna	Container/Closure:	10R Glass Vial, 20mm Stopper, 20mm Plascap
Manufacturer Lot:	7006320006 (Labeled Drug Product)		
Moderna Lot Number:	6007520006	Specification:	SPC-1063
Date of Manufacture:	08Jul2020	Expiry Date:	08Jan2021

Product Attribute	Method	Parameter	Specification	Result
Lipid Content		DSPC	(b) (4)	
		PEG-DMG		
		SM102		
		Cholesterol		
		DSPC		
Lipid Impurities		PEG-DMG		
		% Area 1		
		% Area 2		
		% Area 3		
		% Area 4		
		RRT 1		
		RRT 2		
		RRT 3		
		RRT 4		
Particulate Matter	SOP-0509	% Total Impurities		
		10 µM particles per container		
		25 µM particles per container		

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: Steven Anderson

Page 2 of 3

Generated Date: 05-Aug-2020

FDA-CBER-2022-1614-4622525

CERTIFICATE OF ANALYSIS

Product Description:	mRNA-1273	Moderna Part #:	60075
Manufacturer Name:	Moderna	Container/Closure:	10R Glass Vial, 20mm Stopper, 20mm Plascap
Manufacturer Lot:	7006320006 (Labeled Drug Product)		
Moderna Lot Number:	6007520006	Specification:	SPC-1063
Date of Manufacture:	08Jul2020	Expiry Date:	08Jan2021

Product Attribute	Method	Parameter	Specification	Result
Container Content	SOP-0950	Container Content	(b) (4)	
Bacterial Endotoxins	USP <85>	Bacterial Endotoxins		
Sterility	SOP-0378	Sterility		

This material meets specification: Yes

Revision History:

1.0 - Original

2.0 - Corrected SOP-0509 (b) (4) . No changes to reported results, (b) (4) incorrectly started at (b) (4) instead of (b) (4) for impurity tracking in version 1.0.

Corrected batch date from 07Jul2021 to 08Jul2020 and expiry date from 07Jan2021 to 08Jan2021

Document Approvals
Approved Date: 05 Aug 2020

Approval Verdict: Approved	Steven Anderson, (b) (6) @modernatx.com) Quality Control Approval 05-Aug-2020 19:38:50 GMT+0000
QA Approval Verdict: Approved	(b) (6) (b) (6) @modernatx.com) Quality Assurance Approval 05-Aug-2020 19:42:07 GMT+0000

CERTIFICATE OF ANALYSIS

Product Description:	mRNA-1273	Moderna Part #:	60075
Manufacturer Name:	Moderna	Container/Closure:	10R Glass Vial, 20mm Stopper, 20mm Plascap
Manufacturer Lot:	7006320007 (Labeled Drug Product)		
Moderna Lot Number:	6007520007	Specification:	SPC-1063
Date of Manufacture:	09Jul2020	Expiry Date:	09Jan2021

Product Attribute	Method	Parameter	Specification	Result
Appearance	SOP-0278	Appearance - Color	White to off-white dispersion.	White to off-white dispersion
		Appearance - Particulates	May contain visible, white or translucent product-related particles	Essentially Free of Particulates
Concentration	SOP-0235	Concentration	(b) (4)	
Identity	SOP-0544	Identity		
Purity	SOP-0383	Purity		
		% IG1		
		% IG2		
		% IG3		
% RNA Encapsulation	SOP-0298	% Encapsulation		
In vitro Translation (Potency)	SOP-0937	Result		
pH	SOP-0288	pH		
Osmolality	SOP-0279	Osmolality		
Dynamic Light Scattering	SOP-0107	Particle Size		
		Polydispersity		
Lipid Identification	SOP-0502	SM102		
		Cholesterol		

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: Steven Anderson

Page 1 of 3

Generated Date: 14-Aug-2020

FDA-CBER-2022-1614-4622528

CERTIFICATE OF ANALYSIS

Product Description:	mRNA-1273	Moderna Part #:	60075
Manufacturer Name:	Moderna	Container/Closure:	10R Glass Vial, 20mm Stopper, 20mm Plascap
Manufacturer Lot:	7006320007 (Labeled Drug Product)		
Moderna Lot Number:	6007520007	Specification:	SPC-1063
Date of Manufacture:	09Jul2020	Expiry Date:	09Jan2021

Product Attribute	Method	Parameter	Specification	Result
Lipid Content		DSPC	(b) (4)	
		PEG-DMG		
		SM102		
		Cholesterol		
		DSPC		
Lipid Impurities		PEG-DMG		
		% Area 1		
		% Area 2		
		% Area 3		
		% Area 4		
		RRT 1		
		RRT 2		
		RRT 3		
		RRT 4		
Particulate Matter	SOP-0509	% Total Impurities		
		10 µM particles per container		
		25 µM particles per container		

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: Steven Anderson

Page 2 of 3

Generated Date: 14-Aug-2020

FDA-CBER-2022-1614-4622529

CERTIFICATE OF ANALYSIS

Product Description:	mRNA-1273	Moderna Part #:	60075
Manufacturer Name:	Moderna	Container/Closure:	10R Glass Vial, 20mm Stopper, 20mm Plascap
Manufacturer Lot:	7006320007 (Labeled Drug Product)		
Moderna Lot Number:	6007520007	Specification:	SPC-1063
Date of Manufacture:	09Jul2020	Expiry Date:	09Jan2021

Product Attribute	Method	Parameter	Specification	Result
Container Content	SOP-0950	Container Content	(b) (4)	
Bacterial Endotoxins	USP <85>	Bacterial Endotoxins		
Sterility	SOP-0378	Sterility		

This material meets specification: Yes

Revision History:

1.0 - Original

Document Approvals
Approved Date: 14 Aug 2020

Approval Verdict: Approved	Steven Anderson, (b) (6) @modernatx.com) Quality Control Approval 14-Aug-2020 19:12:03 GMT+0000
QA Approval Verdict: Approved	(b) (6) (b) (6) @modernatx.com) Quality Assurance Approval 14-Aug-2020 19:38:39 GMT+0000

CERTIFICATE OF ANALYSIS

Product Description:	mRNA-1273	Moderna Part #:	60073
Manufacturer Name:	Moderna	Container/Closure:	10R Glass Vial, 20mm Stopper, 20mm Cap
Manufacturer Lot:	057G20		
Moderna Lot Number:	6007320001	Specification:	SPC-1128
Date of Manufacture:	30Jul2020	Expiry Date:	30Jan2021

Product Attribute	Method	Parameter	Specification	Result
Appearance	SOP-0278	Appearance - Color	White to off-white dispersion.	White to off-white dispersion
		Appearance - Particulates	May contain visible, white or translucent product-related particles	Essentially Free of Particulates
Concentration	SOP-0235	Concentration	(b) (4) (Target: 0.20 mg/mL)	
Identity	SOP-0544	Identity	(b) (4)	
Purity	SOP-0383	Purity		
		% IG1		
		% IG2		
		% IG3		
% RNA Encapsulation	SOP-0298	% Encapsulation	(b) (4)	
In vitro Translation (Potency)	SOP-0937	Result		
pH	SOP-0288	pH		
Osmolality	SOP-0279	Osmolality		
Dynamic Light Scattering	SOP-0107	Particle Size		
		Polydispersity		
Lipid Identification	SOP-0502	SM102	(b) (4)	
		Cholesterol		

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: Steven Anderson

Page 1 of 3

Generated Date: 11-Sep-2020

FDA-CBER-2022-1614-4622532
Page 1 of 4

29

CERTIFICATE OF ANALYSIS

Product Description:	mRNA-1273	Moderna Part #:	60073
Manufacturer Name:	Moderna	Container/Closure:	10R Glass Vial, 20mm Stopper, 20mm Cap
Manufacturer Lot:	057G20		
Moderna Lot Number:	6007320001	Specification:	SPC-1128
Date of Manufacture:	30Jul2020	Expiry Date:	30Jan2021

Product Attribute	Method	Parameter	Specification	Result
Lipid Content		DSPC	(b) (4)	
		PEG-DMG		
		SM102		
		Cholesterol		
		DSPC		
Lipid Impurities		PEG-DMG		
		% Area 1		
		% Area 2		
		% Area 3		
		% Area 4		
		RRT 1		
		RRT 2		
		RRT 3		
		RRT 4		
Particulate Matter	SOP-0509	% Total Impurities		
		10 µM particles per container		
		25 µM particles per container		

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: Steven Anderson

Page 2 of 3

Generated Date: 11-Sep-2020

FDA-CBER-2022-1614-4622533
Page 2 of 4

30

CERTIFICATE OF ANALYSIS

Product Description:	mRNA-1273	Moderna Part #:	60073
Manufacturer Name:	Moderna	Container/Closure:	10R Glass Vial, 20mm Stopper, 20mm Cap
Manufacturer Lot:	057G20		
Moderna Lot Number:	6007320001	Specification:	SPC-1128
Date of Manufacture:	30Jul2020	Expiry Date:	30Jan2021

Product Attribute	Method	Parameter	Specification	Result
Container Content	SOP-0950	Container Content	>= 5.0 mL (>=10 doses of 0.5 mL from one vial)	(b) (4)
Bacterial Endotoxins	USP <85>	Bacterial Endotoxins	(b) (4)	
Sterility	SOP-0378	Sterility		

This material meets specification: Yes

Revision History:

1.0 - Original

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: Steven Anderson

Page 3 of 3

Generated Date: 11-Sep-2020

FDA-CBER-2022-1614-4622534
Page 3 of 4

31

Document Approvals
Approved Date: 15 Sep 2020

Approval Verdict: Approved	Steven Anderson, (b) (6) @modernatx.com) Quality Control Approval 11-Sep-2020 15:37:51 GMT+0000
QA Approval Verdict: Approved	(b) (6) (b) (6) @modernatx.com) Quality Assurance Approval 15-Sep-2020 14:17:33 GMT+0000

CERTIFICATE OF ANALYSIS

Product Description:	mRNA-1273	Moderna Part #:	60073
Manufacturer Name:	Moderna	Container/Closure:	10R Glass Vial, 20mm Stopper, 20mm Cap
Manufacturer Lot:	062G20		
Moderna Lot Number:	6007320002	Specification:	SPC-1128
Date of Manufacture:	06Aug2020	Expiry Date:	06Feb2021

Product Attribute	Method	Parameter	Specification	Result
Appearance	SOP-0278	Appearance - Color	White to off-white dispersion.	White to off-white dispersion
		Appearance - Particulates	May contain visible, white or translucent product-related particles	Essentially Free of Particulates
Concentration	SOP-0235	Concentration	(b) (4) (Target: 0.20 mg/mL)	
Identity	SOP-0544	Identity	(b) (4)	
Purity	SOP-0383	Purity		
		% IG1		
		% IG2		
		% IG3		
% RNA Encapsulation	SOP-0298	% Encapsulation		
In vitro Translation (Potency)	SOP-0937	Result		
pH	SOP-0288	pH		
Osmolality	SOP-0279	Osmolality		
Dynamic Light Scattering	SOP-0107	Particle Size		
		Polydispersity		
Lipid Identification	SOP-0502	SM102		
		Cholesterol		

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: Steven Anderson

Page 1 of 3

Generated Date: 11-Sep-2020

FDA-CBER-2022-1614-4622536
Page 1 of 4

33

CERTIFICATE OF ANALYSIS

Product Description:	mRNA-1273	Moderna Part #:	60073
Manufacturer Name:	Moderna	Container/Closure:	10R Glass Vial, 20mm Stopper, 20mm Cap
Manufacturer Lot:	062G20		
Moderna Lot Number:	6007320002	Specification:	SPC-1128
Date of Manufacture:	06Aug2020	Expiry Date:	06Feb2021

Product Attribute	Method	Parameter	Specification	Result
Lipid Content		DSPC	(b) (4)	
		PEG-DMG		
		SM102		
		Cholesterol		
		DSPC		
Lipid Impurities		PEG-DMG		
		% Area 1		
		% Area 2		
		% Area 3		
		% Area 4		
		RRT 1		
		RRT 2		
		RRT 3		
		RRT 4		
Particulate Matter	SOP-0509	% Total Impurities		
		10 µM particles per container		
		25 µM particles per container		

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: Steven Anderson

Page 2 of 3

Generated Date: 11-Sep-2020

FDA-CBER-2022-1614-4622537
Page 2 of 4

34

CERTIFICATE OF ANALYSIS

Product Description:	mRNA-1273	Moderna Part #:	60073
Manufacturer Name:	Moderna	Container/Closure:	10R Glass Vial, 20mm Stopper, 20mm Cap
Manufacturer Lot:	062G20		
Moderna Lot Number:	6007320002	Specification:	SPC-1128
Date of Manufacture:	06Aug2020	Expiry Date:	06Feb2021

Product Attribute	Method	Parameter	Specification	Result
Container Content	SOP-0950	Container Content	>= 5.0 mL (>=10 doses of 0.5 mL from one vial)	(b) (4)
Bacterial Endotoxins	USP <85>	Bacterial Endotoxins	(b) (4)	
Sterility	SOP-0378	Sterility		

This material meets specification: Yes

Revision History:

1.0 - Original

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: Steven Anderson

Page 3 of 3

Generated Date: 11-Sep-2020

FDA-CBER-2022-1614-4622538
Page 3 of 4

35

Document Approvals
Approved Date: 16 Sep 2020

Approval Verdict: Approved	Steven Anderson, (b) (6) @modernatx.com) Quality Control Approval 11-Sep-2020 17:44:20 GMT+0000
QA Approval Verdict: Approved	(b) (6) (b) (6) @modernatx.com) Quality Assurance Approval 15-Sep-2020 17:14:58 GMT+0000

CERTIFICATE OF ANALYSIS

Product Description:	mRNA-1273	Moderna Part #:	60073
Manufacturer Name:	Moderna	Container/Closure:	10R Glass Vial, 20mm Stopper, 20mm Cap
Manufacturer Lot:	001H20		
Moderna Lot Number:	6007320003	Specification:	SPC-1128
Date of Manufacture:	11Aug2020	Expiry Date:	11Feb2021

Product Attribute	Method	Parameter	Specification	Result
Appearance	SOP-0278	Appearance - Color	White to off-white dispersion.	White to off-white dispersion
		Appearance - Particulates	May contain visible, white or translucent product-related particles	Essentially Free of Particulates
Concentration	SOP-0235	Concentration	(b) (4) (Target: 0.20 mg/mL)	
Identity	SOP-0544	Identity	(b) (4)	
Purity	SOP-0383	Purity		
		% IG1		
		% IG2		
		% IG3		
% RNA Encapsulation	SOP-0298	% Encapsulation		
In vitro Translation (Potency)	SOP-0937	Result		
pH	SOP-0288	pH		
Osmolality	SOP-0279	Osmolality		
Dynamic Light Scattering	SOP-0107	Particle Size		
		Polydispersity		
Lipid Identification	SOP-0502	SM102		
		Cholesterol		

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: Steven Anderson

Page 1 of 3

Generated Date: 11-Sep-2020

FDA-CBER-2022-1614-4622540
Page 1 of 4

37

CERTIFICATE OF ANALYSIS

Product Description:	mRNA-1273	Moderna Part #:	60073
Manufacturer Name:	Moderna	Container/Closure:	10R Glass Vial, 20mm Stopper, 20mm Cap
Manufacturer Lot:	001H20		
Moderna Lot Number:	6007320003	Specification:	SPC-1128
Date of Manufacture:	11Aug2020	Expiry Date:	11Feb2021

Product Attribute	Method	Parameter	Specification	Result
Lipid Content		DSPC	(b) (4)	
		PEG-DMG		
		SM102		
		Cholesterol		
		DSPC		
Lipid Impurities		PEG-DMG		
		% Area 1		
		% Area 2		
		% Area 3		
		% Area 4		
		RRT 1		
		RRT 2		
		RRT 3		
		RRT 4		
Particulate Matter	SOP-0509	% Total Impurities		
		10 µM particles per container		
		25 µM particles per container		

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: Steven Anderson

Page 2 of 3

Generated Date: 11-Sep-2020

FDA-CBER-2022-1614-4622541
Page 2 of 4

38

CERTIFICATE OF ANALYSIS

Product Description:	mRNA-1273	Moderna Part #:	60073
Manufacturer Name:	Moderna	Container/Closure:	10R Glass Vial, 20mm Stopper, 20mm Cap
Manufacturer Lot:	001H20		
Moderna Lot Number:	6007320003	Specification:	SPC-1128
Date of Manufacture:	11Aug2020	Expiry Date:	11Feb2021

Product Attribute	Method	Parameter	Specification	Result
Container Content	SOP-0950	Container Content	>= 5.0 mL (>=10 doses of 0.5 mL from one vial)	(b) (4)
Bacterial Endotoxins	USP <85>	Bacterial Endotoxins	(b) (4)	
Sterility	SOP-0378	Sterility		

This material meets specification: Yes

Revision History:

1.0 - Original

Document Approvals
Approved Date: 16 Sep 2020

Approval Verdict: Approved	Steven Anderson, (b) (6) @modernatx.com) Quality Control Approval 13-Sep-2020 16:19:35 GMT+0000
QA Approval Verdict: Approved	(b) (6) (b) (6) @modernatx.com) Quality Assurance Approval 15-Sep-2020 17:18:55 GMT+0000