

Subject ID	Demog Age/Gender/Race/Ethnicity	Health Risk Factor for Severe COVID19	Clinical signs indicative of severe systemic illness, Respiratory Rate \geq 30 per minute, Heart Rate \geq 125 beats per minute, SpO2 \leq 93% on room air at sea level or PaO2/FIO2 < 300 mm Hg,	Respiratory failure or Acute Respiratory Distress Syndrome (ARDS), (defined as needing high- flow oxygen, non-invasive or mechanical ventilation, or ECMO), evidence of shock (systolic blood pressure < 90 mmHg, diastolic BP < 60 mmHg or requiring vasopressors),	Significant acute renal, hepatic or neurologic dysfunction,	Admission to an intensive care unit or death	Additional information	Included in the first interim analysis (IA1, DS: 11-Nov)
US3022233	53,F,BLACK OR AFRICAN AMERICAN,NOT HISPANIC OR LATINO		Y (O2 sat 93% 21 Oct)	N	N	N	AE recovered/resolved 21 Oct	N
US3032204	54,M,WHITE,NOT HISPANIC OR LATINO	Diabetes	Y (lowest O2 sat 87%, 14-16 Nov)	N	N	Y	SAE: COVID-19 resulting in death 16 Nov	N
US3142100	69,M,WHITE,NOT HISPANIC OR LATINO		Y (O2 sat 90%, 1-5 Oct)	N	N	N	AE ongoing, not resolved	Y
US3142252	57,F,WHITE,NOT HISPANIC OR LATINO		Y (O2 sat 90%, 11 Nov)	N	N	N	AE ongoing, not resolved	N
US3142255	23,M,WHITE,NOT HISPANIC OR LATINO		N	Y (DBP 59 mmHg 16 Nov)	N	N	AE ongoing, not resolved	N

Subject ID	Demog Age/Gender/Race/Ethnicity	Health Risk Factor for Severe COVID19	Clinical signs indicative of severe systemic illness, Respiratory Rate ≥ 30 per minute, Heart Rate ≥ 125 beats per minute, SpO2 $\leq 93\%$ on room air at sea level or PaO2/FIO2 < 300 mm Hg,	Respiratory failure or Acute Respiratory Distress Syndrome (ARDS), (defined as needing high- flow oxygen, non-invasive or mechanical ventilation, or ECMO), evidence of shock (systolic blood pressure < 90 mmHg, diastolic BP < 60 mmHg or requiring vasopressors),	Significant acute renal, hepatic or neurologic dysfunction,	Admission to an intensive care unit or death	Additional information	Included in the first interim analysis (IA1, DS: 11-Nov)
US3162006	75,F,WHITE,NOT HISPANIC OR LATINO		Y (O2 sat 93%, 15-16 Nov)	N	Y (renal, neurologic dysfunction 11 Nov)	N	AE recovered/resolved 27 Nov	N
US3262099	61,M,WHITE,NOT HISPANIC OR LATINO	Significant Cardiac Disease, Severe Obesity	Y (O2 sat 93% 16, 23 Oct)	N	N	N	AE ongoing	Y
US3272026	46,M,WHITE,NOT HISPANIC OR LATINO		Y (lowest O2 sat 64%, 16 Nov); resp failure, ARDS 16 Nov	Y (non-invasive ventilation 16 Nov, ECMO 1 Dec)	Y (acute renal dysfunction (16 Nov)	Y (admitted to ICU 16 Nov)	SAE: Clinical/radiologic evidence of PNA 16 Nov; 64% 26 Nov; outcome of SAE – not resolved)	N

Subject ID	Demog Age/Gender/Race/Ethnicity	Health Risk Factor for Severe COVID19	Clinical signs indicative of severe systemic illness, Respiratory Rate ≥ 30 per minute, Heart Rate ≥ 125 beats per minute, SpO2 $\leq 93\%$ on room air at sea level or PaO2/FIO2 < 300 mm Hg,	Respiratory failure or Acute Respiratory Distress Syndrome (ARDS), (defined as needing high- flow oxygen, non-invasive or mechanical ventilation, or ECMO), evidence of shock (systolic blood pressure < 90 mmHg, diastolic BP < 60 mmHg or requiring vasopressors),	Significant acute renal, hepatic or neurologic dysfunction,	Admission to an intensive care unit or death	Additional information	Included in the first interim analysis (IA1, DS: 11-Nov)
US3272144	29,M,WHITE,NOT HISPANIC OR LATINO	Severe Obesity	Y (lowest O2 sat 91%, 16 Nov)	N	N	N	SAE: Clinical/radiologic evidence of PNA 16 Nov; hospitalized 12-19 Nov); AE resolved 29 Nov	N
US3272195	44,F,WHITE,HISPANIC OR LATINO		Y (lowest O2 sat 85% 5-15 Nov)	N	N	N	SAE: Hospitalized 7-12 Nov	Y
US3272196	59,F,WHITE,NOT HISPANIC OR LATINO	Severe Obesity	Y (lowest O2 sat 92% 10,16 Nov)	N	N	N	AE recovered/resolved 19 Nov	N
US3272357	41,F,NOT REPORTED,HISPANIC OR LATINO	Diabetes	Y (O2 sat 89% 17 Nov)	Y (DBP 58 mmHg 10 Nov)	N	N	AE recovering	N

Subject ID	Demog Age/Gender/Race/Ethnicity	Health Risk Factor for Severe COVID19	Clinical signs indicative of severe systemic illness, Respiratory Rate ≥ 30 per minute, Heart Rate ≥ 125 beats per minute, SpO2 $\leq 93\%$ on room air at sea level or PaO2/FIO2 < 300 mm Hg,	Respiratory failure or Acute Respiratory Distress Syndrome (ARDS), (defined as needing high- flow oxygen, non-invasive or mechanical ventilation, or ECMO), evidence of shock (systolic blood pressure < 90 mmHg, diastolic BP < 60 mmHg or requiring vasopressors),	Significant acute renal, hepatic or neurologic dysfunction,	Admission to an intensive care unit or death	Additional information	Included in the first interim analysis (IA1, DS: 11-Nov)
US3312605	24,M,WHITE,NOT HISPANIC OR LATINO		Y (O2 sat 85% 27,28 Oct)	N	N	N	SAE: Hospitalized 27-29 Oct, resolved 2 Nov; Clinical/radiologic evidence of pneumonia 27 Oct; AE recovered/resolved 2 Nov	Y
US3332001	68,M,WHITE,NOT HISPANIC OR LATINO	Hypertension	N	Y (SBP 88 mmHg 30 Sep)	N	N	AE recovered/resolved 2 Oct	Y
US3382152	29,F,WHITE,NOT HISPANIC OR LATINO		Y (O2 sat 91% 4 Nov)	N	N	N	AE recovered/resolved 11 Nov	Y

Subject ID	Demog Age/Gender/Race/Ethnicity	Health Risk Factor for Severe COVID19	Clinical signs indicative of severe systemic illness, Respiratory Rate ≥ 30 per minute, Heart Rate ≥ 125 beats per minute, SpO2 $\leq 93\%$ on room air at sea level or PaO2/FIO2 < 300 mm Hg,	Respiratory failure or Acute Respiratory Distress Syndrome (ARDS), (defined as needing high- flow oxygen, non-invasive or mechanical ventilation, or ECMO), evidence of shock (systolic blood pressure < 90 mmHg, diastolic BP < 60 mmHg or requiring vasopressors),	Significant acute renal, hepatic or neurologic dysfunction,	Admission to an intensive care unit or death	Additional information	Included in the first interim analysis (IA1, DS: 11-Nov)
US3402029	34,F,WHITE,NOT HISPANIC OR LATINO	Severe Obesity	Y (lowest O2 sat 83% 8 Oct, $\leq 93\%$ 5-13 Oct)	Missing	Missing	N	SAE: Hospitalized 7 to 13 Oct; AE recovered/resolved 12 Oct	Y
US3402194	57,M,WHITE,NOT HISPANIC OR LATINO	Diabetes, Coronary artery disease	Y (lowest O2 sat 83%, 16 Nov)	Y, need for high-flow O2 (16 Nov)	N	N	SAE: Hospitalized 16 to 26 Nov; recovering/resolving	N
US3412259	67,F,WHITE,NOT HISPANIC OR LATINO		Y (O2 sat 91%, 11-12 Nov)	N	N	N	AE recovering/resolving	N
US3412300	59,F,WHITE,NOT HISPANIC OR LATINO	Severe Obesity	Y (O2 sat 85%, 10 Nov)	N	N	N	AE recovering/resolving	N
US3412304	70,M,WHITE,NOT HISPANIC OR LATINO	Hypertension, Diabetes	Y (O2 sat 92%, 7 Nov)	N	N	N	AE recovering/resolving	N

Subject ID	Demog Age/Gender/Race/Ethnicity	Health Risk Factor for Severe COVID19	Clinical signs indicative of severe systemic illness, Respiratory Rate ≥ 30 per minute, Heart Rate ≥ 125 beats per minute, SpO2 $\leq 93\%$ on room air at sea level or PaO2/FIO2 < 300 mm Hg,	Respiratory failure or Acute Respiratory Distress Syndrome (ARDS), (defined as needing high- flow oxygen, non-invasive or mechanical ventilation, or ECMO), evidence of shock (systolic blood pressure < 90 mmHg, diastolic BP < 60 mmHg or requiring vasopressors),	Significant acute renal, hepatic or neurologic dysfunction,	Admission to an intensive care unit or death	Additional information	Included in the first interim analysis (IA1, DS: 11-Nov)
US3452203	80,F,WHITE,NOT HISPANIC OR LATINO		Y (lowest O2 sat 91%, 17 Nov)	N	N	N	AE not recovered/resolved	N
US3452332	65,M,WHITE,NOT HISPANIC OR LATINO	Significant Cardiac Disease, Diabetes	Y (O2 sat 91%, 31 Oct)	N	N	N	AE recovered/resolved 23 Nov	Y
US3592127	57,F,WHITE,NOT HISPANIC OR LATINO	Diabetes	Y (O2 sat 93%, 14 Nov)	N	N	N	AE not recovered/resolved	N
US3722066	67,M,WHITE,NOT HISPANIC OR LATINO	Chronic Lung Disease, Hypertension	Y (O2 sat 86%, 16 Nov)	N	N	N	SAE: Hospitalized 16 Nov; Clinical/radiologic evidence of pneumonia (16 Nov)	N
US3752025	58,F,WHITE,NOT HISPANIC OR LATINO	Severe Obesity,Diabetes	Y (lowest O2 sat 91%, 13 Nov)	Y (SBP 89 10 Nov)	N	N	SAE: Hospitalized 10 - 13 Nov for	N

Subject ID	Demog Age/Gender/Race/Ethnicity	Health Risk Factor for Severe COVID19	Clinical signs indicative of severe systemic illness, Respiratory Rate \geq 30 per minute, Heart Rate \geq 125 beats per minute, SpO2 \leq 93% on room air at sea level or PaO2/FIO2 < 300 mm Hg,	Respiratory failure or Acute Respiratory Distress Syndrome (ARDS), (defined as needing high- flow oxygen, non-invasive or mechanical ventilation, or ECMO), evidence of shock (systolic blood pressure < 90 mmHg, diastolic BP < 60 mmHg or requiring vasopressors),	Significant acute renal, hepatic or neurologic dysfunction,	Admission to an intensive care unit or death	Additional information	Included in the first interim analysis (IA1, DS: 11-Nov)
							hypotension; AE recovering/resolving	
US3752162	70,M,WHITE,NOT HISPANIC OR LATINO	Chronic Lung Disease	Y (O2 sat 88%, 18 Oct)	N	N	N	AE recovered/resolved 2 Nov	Y
US3752229	45,F,OTHER,HISPANIC OR LATINO	Hypertension, cardiac arrhythmias	Y (O2 sat 92%, 2 Nov)	N	N	N	AE recovered/resolved 12 Nov	Y
US3802034	70,F,WHITE,NOT HISPANIC OR LATINO	Asthma, Hypertension	Y (O2 sat 90%, 13 Nov)	N	N	N	AE recovering/resolving	N
US3802185	52,F,MULTIPLE,NOT HISPANIC OR LATINO	Allergy-related Asthma	Y (O2 sat 89%, 14 Nov)	N	N	N	AE Recovered/Resolved 2 Dec	N

Subject ID	Demog Age/Gender/Race/Ethnicity	Health Risk Factor for Severe COVID19	Clinical signs indicative of severe systemic illness, Respiratory Rate ≥ 30 per minute, Heart Rate ≥ 125 beats per minute, SpO2 $\leq 93\%$ on room air at sea level or PaO2/FIO2 < 300 mm Hg,	Respiratory failure or Acute Respiratory Distress Syndrome (ARDS), (defined as needing high- flow oxygen, non-invasive or mechanical ventilation, or ECMO), evidence of shock (systolic blood pressure < 90 mmHg, diastolic BP < 60 mmHg or requiring vasopressors),	Significant acute renal, hepatic or neurologic dysfunction,	Admission to an intensive care unit or death	Additional information	Included in the first interim analysis (IA1, DS: 11-Nov)
US3842040	49,F,WHITE,HISPANIC OR LATINO	Chronic Lung Disease,,Diabetes, Hypertension	Y (O2 sat 92%, 8 Nov)	N	Missing	N	AE Not Recovered/Not Resolved	N
US3902015	53,F,BLACK OR AFRICAN AMERICAN,NOT HISPANIC OR LATINO	Severe Obesity	Y (O2 sat 92%, 6 Nov)	N	N	N	AE Recovering/Resolving	Y